



NOTICE

DO NOT REMOVE THIS SIGN UNTIL ALL WATER USE RESTRICTIONS HAVE EXPIRED

This area of RUNYAN LAKE was chemically treated on 6/25/18 for the control of an aquatic nuisance under: (select one of the following)

- DEQ Certificate of Coverage No. _____
- DEQ Permit No. ANC - 9 8 - 0 2154
- Permit by Rule, pursuant to S324.3303 (2)

Company/Individual Responsible for Treatment:
 Name: AQUATIC NUISANCE PLANT CONTROL
 Address: P.O. BOX 160
 Phone: (810)621-5404

USE RESTRICTIONS:

These use restrictions are a compilation of all restrictions of the chemical products listed below.

SWIMMING and BATHING:

XXX No restrictions Do not swim or bathe until: _____ NR _____

DRINKING WATER:

XXX No restrictions Do not drink water until: _____ NR _____

DOMESTIC USES:

XX No restrictions Do not use water for domestic purposes until: _____ NR _____

(Domestic uses include but are not limited to: washing of household items, clothes, dishes, etc.)

IRRIGATION:

XX No restrictions Do not irrigate food crops until _____ NR _____

Do not irrigate ornamentals until _____ NR XX Do not irrigate turf until _____ NR

(Do not use treated water for nursery, newly seeded turf, or greenhouse irrigation without specific label review.)

LIVESTOCK WATERING:

XX No restrictions Do not water livestock until: _____

FISH: There are no fishing restrictions or fish consumption restrictions required by approved aquatic pesticide labels, and if properly used, aquatic approved pesticides will not directly affect fish.

LIST OF CHEMICALS PERMITTED FOR USE AT THIS SITE:

Please list the chemical product/active ingredient as well as the specific chemical brand name that will be used.

NO RESTRICTIONS!!

COPPER SULFATE FOR STARRY

The chemicals used for Aquatic Nuisance Control are registered by the U.S. Environmental Protection Agency and the Michigan Department of Agriculture. The potential for damage to fish and other non-target organisms is minimal provided that the product is used as directed on the product label and the permit. To minimize the possible effects on health and the environment, the treated water is restricted for the above purposes.

For permitting information contact: Department of Environmental Quality, Water Resources Division, PO Box 30458, Lansing, MI 48909-7958, telephone: (517) 241-1554, e-mail: DEQ-WRD-ANC@michigan.gov

ATTACH TREATMENT MAP BELOW, IF REQUIRED



NOTICE

DO NOT REMOVE THIS SIGN UNTIL ALL WATER USE RESTRICTIONS HAVE EXPIRED

This area of RUNYAN LAKE was chemically treated on 6/25/18 for the control of an aquatic nuisance under: (select one of the following)

NAME OF WATERBODY MONTH/DAY/YEAR

DEQ Certificate of Coverage No. _____ **Company/Individual Responsible for Treatment:**
 Name: AQUATIC NUISANCE PLANT CONTROL
 Address: P.O. BOX 160
 Phone: (810)621-5404

DEQ Permit No. ANC - 9 B - 0 2154

Permit by Rule, pursuant to S324.3303 (2)

USE RESTRICTIONS:

These use restrictions are a compilation of all restrictions of the chemical products listed below.

SWIMMING and BATHING:
 No restrictions **XX Do not swim or bathe until:** 6/26/18

DRINKING WATER:
 No restrictions **XX Do not drink water until:** TBD

DOMESTIC USES:
 No restrictions **XX Do not use water for domestic purposes until:** TBD
(Domestic uses include but are not limited to: washing of household items, clothes, dishes, etc.)

IRRIGATION:
 No restrictions **XX Do not irrigate food crops until:** TBD
XX Do not irrigate ornamentals until: 6/8/18 **XX Do not irrigate turf until:** TBD
(Do not use treated water for nursery, newly seeded turf, or greenhouse irrigation without specific label review.)

LIVESTOCK WATERING:
 No restrictions **XX Do not water livestock until:** TBD

FISH: There are no fishing restrictions or fish consumption restrictions required by approved aquatic pesticide labels, and if properly used, aquatic approved pesticides will not directly affect fish.

LIST OF CHEMICALS PERMITTED FOR USE AT THIS SITE:

Please list the chemical product/active ingredient as well as the specific chemical brand name that will be used.

NAVIGATE

TBD: MEANS A WATER SAMPLE CAN BE TAKEN IN ABOUT 12 DAYS AND SENT INTO A LAB. IF THE SAMPLE COMES BACK BELOW 1PPB IT IS OK TO WATER. PLEASE CALL THE OFFICE IN ABOUT 17 DAYS OTHERWISE WAIT 21 DAYS TO IRRIGATE ORNAMENTALS. OK TO WATER GRASSES

The chemicals used for Aquatic Nuisance Control are registered by the U.S. Environmental Protection Agency and the Michigan Department of Agriculture. The potential for damage to fish and other non-target organisms is minimal provided that the product is used as directed on the product label and the permit. To minimize the possible effects on health and the environment, the treated water is restricted for the above purposes.

For permitting information contact: Department of Environmental Quality, Water Resources Division, PO Box 30458, Lansing, MI 48909-7958, telephone: (517) 241-1554, e-mail: DEQ-WRD-ANC@michigan.gov

ATTACH TREATMENT MAP BELOW, IF REQUIRED